## PERIOD :MARCH, 2022. rype or Nature of Single SI. Name of the Name of the Tenders Work Order No. and Value of Contract No. Project (OEM / **Details of Work** Awardee Reason / Justification for awarding the work on Single Tender Basis Awarded Date M/s BHEL, Kol OEM DVC/Contract/Head Procurement of There are four nos. of CW motors (11 KV, 2300 KW of M/s BHEL make) installed at CW Rs. 20700000.00 Head one number of pump house) of 1x500 MW Unit of DVC, BTPS and seven nos. same rating and M/s BHEL Quarter/ES-II (Rs. Two Crore Quarter spare motor (2300 make CW motors installed at CW pump house of 2X500 MW unit of DVC, MTPS which A/CMM/Supply/000 Seven Lakh Only) KW, 11 KV) on need to be always in service for driving the CW pump which is one of the vital 01 Dated OEM basis for CW 24/03/2022 equipment that directly linked to sustain steady generation of the unit. Outage of this Pump as common equipment has direct impact on generation of the unit. Also there is no spare motor to pool spare for 500 meet the critical situation within least downtime during failure of insulation or any MW unit of DVC other defect resulting in outage of any one of these motors. Hence one more motor is required to meet the exigency for immediate restoration of the faulty/damage equipment and thus facilitating safe and reliable running of unit. All of the motors installed at the CW pump house of DVC, BTPS and DVC, MTPS are of M/s BHEL make. Therefore, its felt necessary to propose to procure the new motor from the OEM as common pool spare so that it will be best fitted and re installed within optimum time on 1:1 ratio interchangeability on the existing base. These indented item has not been procured since the inception of BTPS and MTPS, so the present stock position is NIL, hence keeping in view the present installed quantity and future need, the procurement of this item in terms of quantity and FTP are justified. Therefore, taking in to consideration as mentioned above, it is proposed to go for procurement on single (OES, OEM) basis from M/s BHEL. 1

## DETAILS OF CONTRACTS AWARDED ON SINGLE TENDER (OEM/OES/PAC/SS) BASIS ---- HQ

				· · · · · · · · · · · · · · · · · · ·		
	Consultancy	-		In present scenario, Pollution norms have become stringent and MOEF&CC and	DVC/Tender/Head	Rs. 31,50,000 (Rs.
	service for	Ltd., Noida		Pollution Control Boards(PCBs) are regularly monitoring the statutory environmental	Quarter/ELECTRICAL	Rupees thirty one
	conducting of			compliances. DVC is serious about complying environmental activities in DVC-TPSs.	/CMM/Works and	lakh fifty thousand
	environmental			However, a systematic, documented, periodic and objective process in assessing an	Service/00004/5530	only)
	Audit at DVC			organization's environmental activities are required to be implemented. In order to	00 dated 31.03.2022	
	power stations			improve environmental aspects in DVC-TPSs, it is proposed to get the Environment		
	(BTPS, CTPS,			Audit done through some recognized expert in this field.		
	DSTPS, KTPS,					
	MTPS, RTPS and			Presently, NTPC- consultancy wing undertakes Consultancy & turnkey projects at		
	DTPS)			domestic and international level of the thermal power plants. NTPC is registered as a		
				consultant with several leading international development and financial institutions		
				such as The World Bank, The Asian Development Bank, The African Development Bank		
				and United Nations Development Programme. NTPC offer consultancy services related		
				to infrastructure sector business such as Fossil fuel based thermal power plants,		
				combined cycle power plants, Co-generation plants, Water supply and treatment,		
				Environment Engineering and Management.		
2						
Z						
		M/s. NTPC				
		Ltd.,				
		Consultan			LOA No.	
					DVC/Tender/He	
	Consultancy for	cy wing-		As proposed by indenting section and justification furnished thereof as	ad	Rs.
	· ·	Marketing	Cingle/D			
	development	, EOC	Single(P	"NTPC is CPSE and having expertise in development of CLIMS module.	Quarter/IR/CM	1,10,00,000.00/-
	of CLIMS	Annexe, A-	SU)	Presently, CLIMS module is urgently required in DVC to streamline the	M/Works and	excluding
	module in DVC			management of contract workers."	Service/00002/5	applicable GST
		8A, Sector			52999 Dated:-31	
		24,Noida			03-2022	
		201301,			03-2022	
		(UP)				
2						
3						